

Appendix 3. Section depths in multi-level piezometers, and packer combinations and section depths in packed-off drillholes during 1991–2017.

Multi-level piezometer	Level 1 (m.a.s.l.)		Level 2 (m.a.s.l.)		Level 3 (m.a.s.l.)		Level 4 (m.a.s.l.)	
	Top	Bottom	Top	Bottom	Top	Bottom	Top	Bottom
OL-EP1	-88.52	-98.12	-58.02	-64.32	-31.62	-39.12	+1.66	-9.52
OL-EP2	-85.82	-93.82	-54.82	-62.02	-26.82	-32.82	+5.55	-7.82
OL-EP3	-89.18	-99.58	-64.18	-70.78	-32.18	-38.18	-1.91	-13.18
OL-EP4	-89.47	-99.77	-59.77	-68.87	-30.37	-37.77	+0.13	-10.77
OL-EP5	-86.64	-96.64	-63.74	-70.94	-29.64	-39.24	+1.54	-12.64
OL-EP6	-87.43	-97.03	-59.43	-68.73	-31.43	-40.23	+2.42	-8.43
OL-EP7	-88.27	-99.27	-60.27	-70.07	-36.27	-43.17	-1.03	-12.27

Casing ID Length	Packer comb. 1 Packer comb. 1 (9.5.92-11.8.95)			Packer comb. 2 Packer comb. 2 (6.11.97-30.3.98)			Packer comb. 3 Packer comb. 3 (11.11.03-19.1.05, 11.6.06-26.3.14)			Packer comb. 4 Packer comb. 4 (29.10.15-)			
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	
OL-KR1 Casing 0-40.20 m Length 1001.05 m	L8	40	75.5	L8	40	114.7	L8	40	68.4	L8	41	75	
	L7	76.5	125.6	L7	150.7	158.1	L7	102.8	115.2	L7	101	115	
	L6	126.6	170.7	L6	184.1	189.7	L6	151.2	156.8	L6	151	155	
	L5	301.9	391.3	L5	260.7	266.3	L5	311.2	336.8	L5	256	290	
	L4	497.6	551.8	L4	518.9	529.5	L4	524.4	528.4	L4	311	345	
	L3	613	618	L3	530.5	542.9	L3	532.6	545	L3	521	550	
	L2	739.4	803.6	L2	612.3	619.7	L2	609.4	626.8	L2	606	620	
	L1	804.6	1001.1	L1	764.1	773.1	L1	764.4	775	L1	761	775	
	Packer comb. 1 (26.6.91-12.5.95)			Packer comb. 2 (18.11.97-23.8.98)			Packer comb. 3 (29.2.00-4.3.02)			Packer comb. 4 (30.11.07-)			
	OL-KR2 Casing 0-40.32 m Length 1051.89 m	L8	40	50.3	L8	40	112.6	L8	40	60	L8	40	50
		L7	51.3	90.3	L7	235.4	239.4	L7	61	90	L7	76	90
		L6	91.3	150.3	L6	287	292.6	L6	91	120	L6	106	115
L5		196.3	230.3	L5	503.6	509.2	L5	234.4	238.4	L5	236	240	
L4		231.3	255.3	L4	596.8	607.4	L4	504.4	510	L4	286	295	
L3		281.3	305.3	L3	756.8	764.2	L3	591	608.4	L3	501	510	
L2		306.3	350.3	L2	875.2	884.2	L2	876	885	L2	596	610	
L1		386.3	503.65	L1	996.8	1010.8	L1	886	1050	L1	876	1052	
Packer comb. 1 (19.8.91-14.7.95)			Packer comb. 2 (25.1.97-9.8.98)			Packer comb. 3 (28.1.02-8.9.05, 10.5.06-)			Packer comb. 4 (23.6.08-)				
OL-KR3 Casing 0-40.55 m Length 502.00 m		L8	40	55.3	L8	40	114.7	L8	40	90	L8	40	90
		L7	86.3	140.3	L7	115.7	124.7	L7	116	125	L7	116	125
		L6	141.3	230.3	L6	242.3	256.3	L6	126	241.6	L6	126	241.6
	L5	231.3	260.3	L5	299.7	309.1	L5	242.6	253.2	L5	242.6	253.2	
	L4	311.3	355.3	L4	335.7	343.1	L4	339.2	343.2	L4	339.2	343.2	
	L3	356.3	405.3	L3	382.5	396.5	L3	380.8	398.2	L3	380.8	398.2	
	L2	416.3	460.3	L2	422.5	434.9	L2	398.2	468.2	L2	398.2	468.2	
	L1	461.3	502	L1	495.9	502	L1	469.2	473.2	L1	469.2	473.2	
	Packer comb. 1 (18.9.91-14.7.95)			Packer comb. 2 (21.4.98-8.6.98)			Packer comb. 3 (17.4.03-21.5.03)			Packer comb. 4 (23.6.08-)			
	OL-KR4 Casing 0-39.97 m Length 901.58 m	L8	40	55.3	L8	40	114	L8	40	62	L8	40	75
		L7	72.9	106.9	L7	115	119	L7	81.4	85.4	L7	76	85
		L6	107.9	131.9	L6	140	144	L6	113	118.6	L6	106	120
L5		132.9	191.9	L5	310	317.4	L5	139.6	142.2	L5	106	120	
L4		282.9	336.9	L4	365	372.4	L4	304.8	318.8	L4	296	325	
L3		357.9	381.9	L3	508.4	515.8	L3	364.8	375.4	L3	351	380	
L2		382.9	466.9	L2	615.2	620.8	L2	503	528.6	L2	481	585	
L1		467.9	503.2	L1	741.8	901.58	L1	529.6	901.58	L1	586	870	
Packer comb. 1 (18.10.91-24.11.97)			Packer comb. 2 (5.12.97-10.8.98)			Packer comb. 3 (5.2.02-7.10.16)			Packer comb. 4 (23.6.08-)				
OL-KR5 Casing 0-40.12 m Length 558.85 m		L8	40	60.3	L8	40.00	118.20	L8	40	63	L8	40	63
		L7	61.3	90.3	L7	119.20	133.20	L7	64	99.6	L7	64	99.6
		L6	106.3	140.3	L6	202.60	211.60	L6	100.6	126.2	L6	100.6	126.2
	L5	191.3	260.3	L5	266.00	275.00	L5	202.2	207.8	L5	202.2	207.8	
	L4	261.3	295.3	L4	276.00	285.00	L4	267.2	276.2	L4	267.2	276.2	
	L3	331.3	375.3	L3	404.40	411.80	L3	277.2	284.6	L3	277.2	284.6	
	L2	376.3	445.3	L2	467.80	483.40	L2	404	419.6	L2	404	419.6	
	L1	446.3	558.85	L1	506.00	530.00	L1	457.2	476.2	L1	457.2	476.2	

OL-KR7 Casing 0-41.05 m Length 811.05 m	Packer comb. 1 (28.1.98-3.8.98)			Single packer (8.8.06-17.1.07)			Packer comb. 2 (4.7.07-8.8.07?) Packer jam			Packer comb. 3 (23.6.08-10.4.14)			Packer comb. 4 (11.11.15-15.8.17, 14.11.2017-)		
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom
L7	20.65	50.4	L8	40	70	L7	71	100	L4	40	80	L8	36	70	
L6	108	112	L7	56	85	L6	101	120	L3	301.4	362	L7	71	105	
L5	208	217	L6	246	270	L5	221	230	L2	441.2	462	L6	106	130	
L4	218	232	L5	316	320	L4	231	255	L1	543	567	L5	191	230	
L3	233	242	L4	365.6	374.6	L3	271	290	L4	19.54	59.54	L4	231	260	
L2	243	252	L3	400.6	411.2	L2	406	420	L3	70.54	84.54	L3	261	310	
L1	278	290.4	L2	488.8	516.2	L1	671	811	L2	245.54	259.54	L2	406	425	
			L1	602.2	607.8				L1	540.54	564.54	L1	426	811	
OL-KR8 Casing 0-20.10 m Length 600.59 m	Packer comb. 1 (17.12.97-10.8.98)			Packer comb. 2 (12.3.02-24.6.02?)			Packer comb. 3 (30.4.03-2.6.03)			Packer comb. 4 (1.11.07-)					
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom			
L7	20	71.4	L4	65	100	L4	248	265.4	L4	19.54	59.54				
L6	72.4	84.8	L3	100	145	L3	301.4	362	L3	70.54	84.54				
L5	102.4	108	L2	245	260	L2	441.2	462	L2	245.54	259.54				
L4	129	144.6	L1	304	315.6	L1	543	567	L1	540.54	564.54				
L3	247.2	261.2													
L2	270.6	278													
L1	304	315.6													
OL-KR9 Casing 0-40.11 m Length 601.25 m	Packer comb. 1 (11.12.97-18.8.98)			Packer comb. 2 (15.2.02-26.10.06, 20.12.06-)			Packer comb. 3 (9.2.07-17.3.08)			Packer comb. 4 (22.9.17-)					
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom			
L8	40	60	L7	40	82	L8	40	55	L8	40	55				
L7	61	81.6	L6	83	138.6	L7	56	85	L7	56	85				
L6	136	151.6	L5	139.6	150.2	L6	246	270	L6	246	270				
L5	278	282	L4	279.6	282.2	L5	316	320	L5	326	330				
L4	441.4	447	L3	468.2	482.2	L4	365.6	360	L4	366	370				
L3	468	475.4	L2	519.8	525.4	L3	386	420	L3	396	430				
L2	519.8	525.4	L1	564.8	568.8	L2	487.6	491.6	L2	497.6	501.6				
L1	566.4	575.4				L1	512.6	614.4	L1	522.6	614.4				
OL-KR10 Casing 0-40.46 Length 614.40 m	Packer comb. 1 (16.1.98-10.8.98)			Single packer (21.3-15.5.06, 26.6.06-15.1.07)			Packer comb. 2 (9.2.07-17.3.08)			Packer comb. 3 (20.3.08-18.1.17)			Packer comb. 4 (22.9.17-)		
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom
L8	40	103	L7	122.82	123.5	L8	40	55	L8	40	55				
L7	104	128	L6	124.5	126.6	L7	56	85	L7	56	85				
L6	250.6	281.2	L5	211	213.1	L6	246	270	L6	246	270				
L5	320.6	329.6	L4	277.5	281.5	L5	316	320	L5	326	330				
L4	365.6	374.6	L3	415.9	419.9	L4	365.6	360	L4	366	370				
L3	400.6	411.2	L2	629.1	948.1	L3	386	420	L3	396	430				
L2	498.8	516.2	L1	949.1	1002.1	L2	487.6	491.6	L2	497.6	501.6				
L1	602.2	607.8				L1	512.6	614.4	L1	522.6	614.4				
OL-KR11 Casing 0-122.82 m Length 1002.11 m	Packer comb. 1 (16.12.02-4.10.07, 20.4.08-4.5.09)			Packer comb. 2 (20.5.09-8.2.10)			Packer comb. 3 (17.1.13-)			Packer comb. 4 (22.9.17-)					
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom			
L8	122.82	126	L8	122.82	123.5	L8	123	123.4	L8	40	55				
L7	127	129.1	L7	124.5	126.6	L7	124.4	135	L7	56	85				
L6	213.5	215.6	L6	211	213.1	L6	206	220	L6	246	270				
L5	280	284	L5	277.5	281.5	L5	271	310	L5	326	330				
L4	418.4	422.4	L4	415.9	419.9	L4	311	375	L4	366	370				
L3	600	630.6	L3	597.5	628.1	L3	411	430	L3	396	430				
L2	631.6	950.6	L2	629.1	948.1	L2	616	635	L2	497.6	501.6				
L1	951.6	1002.11	L1	949.1	1002	L1	936	1002	L1	522.6	614.4				

OL-KR12	Packer comb. 1 (19.1.04-1.3.17)	Section	Top	Bottom	Packer comb. 1 (3.9.07-)	Packer comb. 1 (12.10.04-27.12.04)	Packer comb. 1 (16.8.04-16.4.07, 5.5.08-)	Packer comb. 1 (18.8.04-24.4.07)	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)												
		L8	40	49.9											L5	10	89.5	L6	40	50	L6	40	52			
Casing 0-40.15 m Length 795.34 m		L7	50.9	69.9																						
		L6	85.9	99.9											L4	210.5	219.5	L5	51	65	L5	53	62			
		L5	290.9	349.9											L3	360.5	364.5	L4	66	75	L4	63	82	L4	83	112
		L4	364.3	368.3											L2	405.5	414.5	L3	116	145	L3	83	112	L3	83	112
		L3	529.3	618.3											L1	445.5	500	L2	241	245	L2	113	142	L2	113	142
OL-KR13	Packer comb. 1 (3.9.07-)	Section	Top	Bottom	Packer comb. 1 (3.9.07-)	Packer comb. 1 (12.10.04-27.12.04)	Packer comb. 1 (16.8.04-16.4.07, 5.5.08-)	Packer comb. 1 (18.8.04-24.4.07)	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)												
		L1	702.3	756.3											L1	445.5	500	L1	446	460	L1	143	170.2			
OL-KR14	Packer comb. 1 (12.10.04-27.12.04)	Section	Top	Bottom	Packer comb. 1 (12.10.04-27.12.04)	Packer comb. 1 (16.8.04-16.4.07, 5.5.08-)	Packer comb. 1 (18.8.04-24.4.07)	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)													
		L3	9.52	46										L3	9.52	46	L3	9.52	46							
Casing 0-9.52 m Length 514.10 m		L2	47	53																						
		L1	54	514.1										L2	47	53	L2	47	53							
		L1	54	514.1										L1	54	514.1	L1	54	514.1							
OL-KR15	Packer comb. 1 (16.8.04-16.4.07, 5.5.08-)	Section	Top	Bottom	Packer comb. 1 (16.8.04-16.4.07, 5.5.08-)	Packer comb. 1 (18.8.04-24.4.07)	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)														
		L6	40	50									L6	40	50	L6	40	50								
Casing 0-40.09 m Length 518.85 m		L5	51	65																						
		L4	66	75										L4	66	75	L4	66	75							
		L3	116	145										L3	116	145	L3	116	145							
		L2	241	245										L2	241	245	L2	241	245							
		L1	446	460										L1	446	460	L1	446	460							
OL-KR15B	Packer comb. 1 (18.8.04-24.4.07)	Section	Top	Bottom	Packer comb. 1 (18.8.04-24.4.07)	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)															
		L2	4.5	28.7								L2	4.5	28.7	L2	4.5	28.7									
Casing 0-4.48 m Length 45.14 m		L1	29.7	45																						
		L1	29.7	45									L1	29.7	45	L1	29.7	45								
OL-KR16	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Section	Top	Bottom	Packer comb. 1 (2.9.04-12.4.07, 25.6.08-)	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)																
		L6	40	52							L6	40	52													
Casing 0-40.34 m Length 170.20 m		L5	53	62																						
		L4	63	82									L4	63	82	L4	63	82								
		L3	83	112									L3	83	112	L3	83	112								
		L2	113	142									L2	113	142	L2	113	142								
		L1	143	170.2									L1	143	170.2	L1	143	170.2								
OL-KR16B	Packer comb. 1 (8.9.04-24.4.07)	Section	Top	Bottom	Packer comb. 1 (8.9.04-24.4.07)	Packer comb. 1 (19.1.04-1.3.17)	Packer comb. 2 (7.2.17-)	Packer comb. 2 (27.6.08-)	Packer comb. 2 (26.6.08-)																	
		L3	4.5	25						L3	4.5	25														
Casing 0-4.48 m Length 45.20 m		L2	26	35																						
		L1	36	45									L2	26	35	L2	26	35								
		L1	36	45									L1	36	45	L1	36	45								

OL-KR17	Casing 0-39.92 m Length 157.13 m	Packer comb. 1 (2.3.8.04-9.11.04, 6.11.08-)		
		Section	Top	Bottom
		L6	40	51
		L5	52	66
		L4	67	71
		L3	82	96
		L2	97	111
		L1	122	157.13
OL-KR17B	Casing 0-4.1 m Length 45.3 m	Packer comb. 1 (2.5.8.04-24.4.07)		
		Section	Top	Bottom
		L2	4.1	30.3
		L1	31.3	45
OL-KR18	Casing 0-39.81 m Length 125.49 m	Packer comb. 1 (1.8.8.04-27.9.04, 10.11.04-10.4.07, 1.4.08-)		
		Section	Top	Bottom
		L5	40	53
		L4	54	58
		L3	59	63
		L2	74	83
		L1	89	125.49
OL-KR18B	Casing 0-6.51 m Length 45.53 m	Packer comb. 1 (2.9.04-24.4.07)		
		Section	Top	Bottom
		L2	6.51	22.7
		L1	23.7	45
OL-KR19	Casing 0-40.57 m Length 544.34 m	Packer comb. 1 (1.6.4.03-8.7.03)		
		Section	Top	Bottom
		L4	0	38.17
		L3	39.17	459.07
		L2	460.07	469.07
		L1	470.07	544.34
OL-KR20	Casing 0-40.42 m Length 494.72 m	Packer comb. 1 (1.7.5.04-)		
		Section	Top	Bottom
		L7	40	64
		L6	65	109
		L5	110	114
		L4	140	144
		L3	185	194
		L2	410	434
		L1	460	474

Packer comb. 2 (30.6.08-)		
Section	Top	Bottom
L2	4.1	10
L1	11	30

Packer comb. 2 (7.4.08-)		
Section	Top	Bottom
L3	6.5	13
L2	14	23
L1	24	45.5

Packer comb. 2 (2.5.1.1.03-2.6.04)		
Section	Top	Bottom
L4	40	432.37
L3	433.37	458.97
L2	459.97	468.97
L1	469.97	544.34

Packer comb. 3 (7.9.09-)		
Section	Top	Bottom
L8	40	53
L7	54	58
L6	69	108
L5	144	153
L4	199	213
L3	249	263
L2	319	328
L1	454	468

OL-KR22 Casing 0-40.58 m Length 500.47 m	Packer comb. 1 (18.6.04-22.11.04)			Packer comb. 2 (4.6.07-26.8.09, 23.9.09-)		
	Section	Top	Bottom	Section	Top	Bottom
				L8	40	55
				L7	56	75
				L6	76	85
				L5	86	95
				L4	96	120
				L3	146	155
				L2	389.4	393.4
				L1	419.4	428.4
OL-KR23 Casing 0-40.27 m Length 460.25 m	Packer comb. 1 (10.2.04-5.7.04)			Packer comb. 2 (16.12.04-)		
	Section	Top	Bottom	Section	Top	Bottom
	L7	40	64	L7	40	64
	L6	65	74	L6	65	74
	L5	75	104	L5	75	104
	L4	130	139	L4	130	139
	L3	170	189	L3	170	199
	L2	190	199	L2	360	399
	L1	200	302	L1	425	460.3
OL-KR23B Casing 0-6.12 m Length 45.12 m	Packer comb. 1 (11.2.04-28.7.04)					
	Section	Top	Bottom			
	L2	6.1	23			
	L1	24	45			
OL-KR24 Casing 0-20.13 m Length 551.11 m	Packer comb. 1 (23.3.04-11.8.04)					
	Section	Top	Bottom			
	L2	40	80.6			
	L1	81.6	551.11			
OL-KR25 Casing 0-40.25 m Length 604.87 m	Packer comb. 1 (27.1.04-2.8.04, 8.12.04-28.9.05, 5.10.06-)					
	Section	Top	Bottom			
	L8	40	50			
	L7	51	65			
	L6	66	80			
	L5	91	105			
	L4	106	126			
	L3	337	356			
	L2	357	386			
	L1	387	605			
OL-KR25B Casing 0-3.84 m Length 44.93 m	Packer comb. 1 (27.1.04-4.8.04)					
	Section	Top	Bottom			
	L2	3.8	20			
	L1	21	45			

OL-KR27	Packer comb. 1 (25.4.08-)	Section	Top	Bottom	Packer comb. 2 (21.6.11-18.10.17)	Section	Top	Bottom
		L8	40	55		L8	40	95
Casing 0-40.03 m Length 550.84 m		L7	56	75		L7	126	180
		L6	81	105		L6	331	335
		L5	126	135		L5	386	395
		L4	206	210		L4	441	450
		L3	256	265		L3	516	530
		L2	421	430		L2	561	570
		L1	501	510		L1	571	656
OL-KR28	Packer comb. 1 (26.6.07-3.5.11)	Section	Top	Bottom	Packer comb. 2 (3.11.2016-)	Section	Top	Bottom
		L8	40	85		L8	40	95
Casing 0-40.02 m Length 656.33 m		L7	86	95		L7	126	180
		L6	126	145		L6	331	335
		L5	146	160		L5	386	395
		L4	161	180		L4	441	450
		L3	386	395		L3	516	530
		L2	441	450		L2	561	570
		L1	516	525		L1	571	656
OL-KR29	Packer comb. 1 (5.1.06-4.2.2016)	Section	Top	Bottom	Packer comb. 2 (6.10.11-)	Section	Top	Bottom
		L8	40	65		L8	40.02	65
Casing 0-39.96 m Length 870.18 m		L7	96	110		L7	66	110
		L6	161	180		L6	161	180
		L5	251	255		L5	301	350
		L4	301	350		L4	551	580
		L3	521	580		L3	581	600
		L2	601	800		L2	741	760
		L1	801	867.0		L1	761	800.0
OL-KR37	Packer comb. 1 (7.9.07-)	Section	Top	Bottom	Packer comb. 2 (6.10.11-)	Section	Top	Bottom
		L5	39.59	59.59		L8	39	59
Casing 0-39.91 m Length 350.00 m		L4	115.59	139.59		L7	60	74
		L3	165.59	179.59		L6	80	89
		L2	225.59	234.59		L5	105	114
		L1	270.59	274.59		L4	135	159
		L1	469.25	503 *)		L3	375	384
OL-KR39	Packer comb. 1 (24.9.07-7.4.10)	Section	Top	Bottom	Packer comb. 2 (6.10.11-)	Section	Top	Bottom
		L8	39.25	58.25		L8	39	59
Casing 0-40.03 m Length 502.97 m		L7	59.25	73.25		L7	60	74
		L6	79.25	88.25		L6	80	89
		L5	104.25	113.25		L5	105	114
		L4	134.25	158.25		L4	135	159
		L3	374.25	383.25		L3	375	384
		L2	399.25	408.25		L2	395	409
		L1	469.25	503 *)		L1	440	503

OL-KR40 Casing 0-40.1 m Length 1030.00 m	Packer comb. 1 (19.9.13-25.8.14)		Packer comb. 2 (17.1.2.14-)	
	Section	Top Bottom	Section	Top Bottom
	L8	40.2 69	L8	40.2 69
	L7	70 124	L7	70 124
	L6	125 129	L6	125 129
	L5	280 289	L5	280 289
	L4	385 404	L4	385 404
	L3	600 614	L3	600 614
	L2	785 794	L2	785 794
	L1	1005 1030	L1	1005 1030
OL-KR44 Casing 0-40.21 m Length 900.47 m	Packer comb. 1 (18.6.08-25.2.10)		Packer comb. 2 (29.4.11-)	
	Section	Top Bottom	Section	Top Bottom
	L8	40 55	L8	40 55
	L7	81 95	L7	81 95
	L6	96 110	L6	96 110
	L5	111 130	L5	111 130
	L4	246 260	L4	246 260
	L3	644 665	L3	644 665
	L2	666 705	L2	666 705
	L1	766 800	L1	766 800
OL-KR45 Casing 0-40.43 m Length 1023.30 m	Packer comb. 1 (11.4.13-19.6.14)		Packer comb. 2 (8.5.15-)	
	Section	Top Bottom	Section	Top Bottom
	L8	40 65	L8	40 65
	L7	66 115	L7	66 115
	L6	116 130	L6	116 130
	L5	156 200	L5	156 200
	L4	291 300	L4	291 300
	L3	481 495	L3	481 495
	L2	606 610	L2	606 610
	L1	846 1023.3	L1	846 1023.3
OL-KR46 Casing 0.51m above ground level) Length 600.10 m	Double packers (18.12.2013-10.3.2017)		Double packers (29.9.2017-)	
	Section	Top Bottom	Section	Top Bottom
	upper	569.5 570.5	upper	569.5 570.5
	lower	573.5 574.5	lower	573.5 574.5
OL-KR47 Casing 0-41.92 m Length 1008.76 m	Packer comb. 1 (1.9.15-)		Packer comb. 2 (23.5.-28.9.2017)	
	Section	Top Bottom	Section	Top Bottom
	L8	41.4 60	L8	41.4 60
	L7	116 160	L7	116 160
	L6	216 225	L6	216 225
	L5	301 335	L5	301 335
	L4	416 430	L4	416 430
	L3	531 560	L3	531 560
	L2	696 720	L2	696 720
	L1	881 1008.76	L1	881 1008.76
OL-KR49 Casing 0-40.84 m Length 1060.22 m	Packer comb. 1 (23.4.13-5.7.14, 10.5.16-)		Packer comb. 2 (29.9.2017-)	
	Section	Top Bottom	Section	Top Bottom
	L8	40 80	L8	40 80
	L7	81 120	L7	81 120
	L6	141 175	L6	141 175
	L5	276 340	L5	276 340
	L4	341 410	L4	341 410
	L3	531 535	L3	531 535
	L2	616 625	L2	616 625
	L1	626 1060	L1	626 1060

OL-KR50 Casing 0-40.68 m Length 939.33 m	Packer comb. 1 (5.6.13-7.7.14, 18.7.2016-)		Section	Top	Bottom	Packer comb. 2 (12.6.15-)
	L8	40.15	75			
	L7	76	85			
	L6	131	160			
	L5	281	300			
	L4	361	425			
	L3	426	450			
	L2	706	800			
	L1	801	940			
OL-KR51 Casing 0-40.68 m Length 650.55 m	Packer comb. 1 (8.8.12-27.6.14)		Section	Top	Bottom	Packer comb. 2 (11.3.15-)
L8	40	60				
	L7	61	105			
	L6	106	145			
	L5	181	190			
	L4	286	300			
	L3	411	500			
	L2	501	515			
	L1	561	650.55			
OL-KR52 Casing 0-40.64 m Length 427.35 m	Packer comb. 1 (13.5.13-10.6.14)		Section	Top	Bottom	Packer comb. 2 (17.15-)
L8	40	75				
	L7	76	95			
	L6	96	125			
	L5	166	185			
	L4	186	235			
	L3	311	330			
	L2	376	390			
	L1	391	427.35			
OL-KR54 Casing 0-40.45 m Length 500.18 m	Packer comb. 1 (16.10.13-19.8.14)		Section	Top	Bottom	Packer comb. 2 (5.8.15-)
L8	40.01	69				
	L7	70	94			
	L6	95	124			
	L5	125	139			
	L4	140	169			
	L3	305	324			
	L2	365	369			
	L1	450	454			
OL-KR55 Casing 0-40.71 m Length 998.40 m	Packer comb. 1 (22.10.13-5.8.14)		Section	Top	Bottom	Packer comb. 2 (17.15-)
L8	40.26	45				
	L7	46	70			
	L6	71	95			
	L5	161	190			
	L4	286	290			
	L3	536	545			
	L2	861	870			
	L1	971	998.4			

ONK-PH23 Length 77.13 m	Packer comb. 1 (13.7.12-22.5.13, 28.11.14-29.11.16)		Section	Top	Bottom
	L7	2.5	21		
	L6	21.5	23		
	L5	23.5	27		
	L4	27.5	67.5		
	L3	68	70.5		
	L2	71	73.5		
	L1	74	77		
ONK-KR13 Length 120.45 m	Packer comb. 1 (7.9.11-13.12.12)		Section	Top	Bottom
	L1	2	120.45		
	Packer comb. 2 (12.2.13-)				
	L7	18	19		
	L6	46	47		
	L5	47.5	69.25		
	L4	69.75	80.25		
	L3	80.75	87.25		
	L2	87.75	109.75		
	L1	110.25	120.45		
ONK-KR14 Length 75.27 m	Packer comb. 1 (7.9.11-)		Section	Top	Bottom
	L7	2	5		
	L6	5.5	13.5		
	L5	14	20		
	L4	20.5	22.5		
	L3	23	27.5		
	L2	28	31		
	L1	31.5	75		
ONK-KR16 Length 69.88 m	Packer comb. 1 (26.3.14-)		Section	Top	Bottom
	L7	14	18.5		
	L6	19	29.5		
	L5	30	36.5		
	L4	37	41		
	L3	41.5	46.5		
	L2	47	52		
	L1	52.5	70		
ONK-KR17 Casing: 0.15 m above ground level, length 1.04 m Length 71.04 m	Packer comb. 1 (17.11.2015-30.5.2016)		Section	Top	Bottom
	L4	17.5	18.5		
	L3	44.5	45.5		
	L2	50.5	51.5		
	L1	56.5	57.5		
	Packer comb. 2 (31.5.2016-xx.xx.xxxx)				
	L4	11	12		
	L3	38	39		
	L2	44	45		
	L1	50	51		

ONK-PP262 Length 25.02 m	Packer comb. 1 (10.-29.6.10)			Packer comb. 2 (16.9.10-3.3.11)			Packer comb. 3 (13.-27.4.11)			Packer comb. 4 (9.6.-3.11.11)			Packer comb. 5 (4.11.11-19.3.12)			Packer comb. 6 (27.6.12-2.6.17)		
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom
	L1	2	25.02				L1	2.34	25.02									
				L4	3	8.5												
				L3	9.5	10.75												
				L2	16.25	17.5												
				L1	24	25.02												
ONK-PP274 Length 23.88 m	Packer comb. 1 (23.3.-12.4.11)			Packer comb. 2 (31.5.-4.10.11)			Packer comb. 3 (4.11.11-19.3.12)			Packer comb. 4 (27.6.-12.7.12, 17.-21.9.12, 5.12.12- 2.6.17)			Packer comb. 5 (4.11.11-19.3.12)			Packer comb. 6 (27.6.12-2.6.17)		
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom
	L1	2.32	23.88	L1	2	23.88	L1			L9	7.5	9	L9		L9	2.5	8.25	
										L8	10	12.2	L8		L8	8.75	11	
										L7	13.2	14	L7		L7	12	13.5	
										L6	15	15.85	L6		L6	14.5	15.7	
										L5	16.35	17	L5		L5	16.2	16.7	
										L4	17.2	18	L4		L4	16.9	17.35	
										L3	19	19.4	L3		L3	17.55	18.5	
										L2	19.6	20.25	L2		L2	19.5	20.5	
										L1	21.25	23.88	L1		L1	21.5	25.02	
ONK-PVA11 Length 30.05 m	Packer comb. 1 (5.2.15- 29.11.16, 22.9.17-)			Packer comb. 2 (5.2.15- 29.11.16, 22.9.17-)			Packer comb. 3 (5.2.15- 29.11.16, 22.9.17-)			Packer comb. 4 (5.2.15- 29.11.16, 22.9.17-)			Packer comb. 5 (5.2.15- 29.11.16, 22.9.17-)			Packer comb. 6 (5.2.15- 29.11.16, 22.9.17-)		
	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom	Section	Top	Bottom
	L4	0.5	10.5	L4	0.5	10.5	L4	0.5	10.5	L4	0.5	10.5	L4	0.5	L4	0.5	10.5	
	L3	11	14	L3	11	14	L3	11	14	L3	11	14	L3	11	L3	11	14	
	L2	14.5	18	L2	14.5	18	L2	14.5	18	L2	14.5	18	L2	14.5	L2	14.5	18	
	L1	18.5	30.5	L1	18.5	30.5	L1	18.5	30.5	L1	18.5	30.5	L1	18.5	L1	18.5	30.5	